


INDEX MAPS.

T. 1 S R. 8 W. 2^d Mer.

228	228	228	227	227	227	
229 6	216 5	215 4	221 3	219 2	211 1	207
225	216	215	221	219	211	
229 7	216 8	215 9	221 10	219 11	211 12	207
225	216	214	221	219	211	
230 18	215 17	214 16	220 15	218 14	211 13	207
224	215	214	220	218	211	
230 19	224 20	214 21	220 22	213 23	210 24	207
224	223	213	217	213	210	
230 30	223 29	222 28	220 27	213 26	210 25	208
224	223	222	217	212	210	
231 31	223 32	222 33	212 34		209 35	208 36
218	217	217	209	212	209	209

T. 2 S R. 8 W. 2^d Mer.

256	255	255	255	254	254	
243 6	244 5	233 4	241 3	233 2	233 1	241
249	245	234	242	235	240	
243 7	244 8	234 9	241 10	235 11	233 12	241
249	245	235	240	240	239	
243 18	244 17	234 16	242 15	235 14	13	256
246	246	246	250	240	237	
243 19	245 20	234 21	242 22	236 23	236 24	237
247	247	246	236	236	240	
244 30	245 29	247 28	248 27	239 26	238 25	237
252	248	247	249	249	239	238
252 31	251 32	247 33	248 34	249 35	238 36	237
253-254	253-254	253-254	250-253	250	239	

The figures on the lines refer to the page.

Township N. 2. South of Range N. 5. West of the 2nd. Mer.

South	Between Sec ^s 1. & 2. in T. 2. S. R. 5. W.
6. 76	A Beech 14 in? diam?
34. 60	An Oak 20 in? in diam?
40. 60	Get Quarter Sec. post from which a M. Oak 30. in? in diam? bears S. 19. E. 22 lbs. dist. & a Maple 16 in? in diam? bears N. 24. E. 30. lbs. dist.
50. 60	Get post Corner Sec ^s 1. 2. 11. & 12. from which no bearing trees could be found. This mile is up a small run; no trees but brush, Briers & Rose bushes.
South	Between Sec ^s 11. and 12. T. 2. S. R. 8. W.
46. 60	Marked Q ^r Sec. post on a B. Oak. 9. in? in diam?
66. 60	A B. Oak 8. in? diam?
80. 60	Get post Corner to Sec ^s 11. 12. 13. & 14. from which a M. Oak 6 in? diam? bears N. 21. E. 14. lbs. dist. & a M. Oak 18. in? diam? bears S. 25. W. 54. lbs. dist. - This mile flat Barren Land, thinly timbered. Briers & vines. Juniper Oak.
South	Between Sec ^s 2 & 3. T. 2. S. R. 8. W.
78. 60	A Hickory 18. in? diam?
21. 83	A B. Oak 20 in? in diam?
40. 60	Get Q ^r Sec. post from which an R. Oak 18. in? diam? bears S. 5. E. 12 lbs. dist. & a Hickory 8. in? diam? bears S. 73. W. 39. lbs. dist.
51. 47.	A Oak 12. in? diam?
50. 60	Get a post Corner to Sec ^s 2. 3. 10. 11. from which no bearing trees could be taken. B ^d rate upland with scattering Oaks.
South	Between Sec ^s 4. & 5. T. 2. S. R. 8. W.
5. 24	A Sweet Gum 24 in? diam?
10. 00	Patcha 2. 50. lbs. wide bearing W.
40. 60	Get Q ^r Sec. post from which a M. Oak 10. in? diam? bears N. 65. E. 18. lbs. dist. & a Hickory 12. in? diam? bears N. 64. W. 23. lbs. dist.
50. 50	A B. Oak 24. in? diam?
63. 43	& a Maple 24 in? in diam?
80. 60	Get post Corner to Sec ^s 4. 5. 8. and 9. from which a

T. 2. S. R. 8. W. 2nd Mer.

	<p>M. Oak 30. in? diam? bears A. 28. E. 33. lbs. dist? & a M. Oak 18. in? diam? bears A. 76. W. 65. lbs. dist? - This is 3rd rate, Sand. Creek flats Timber. Oak & Hickory.</p>
<p>South 18. 91 50. 00</p>	<p>Between Sec? 8. & 9. T. 2. S. R. 8. W. a clear pond, containing about 100. acres. Offset 10. ch? E. & came into the line 16. ch? S. of 1st Sec. post. which falls in pond and was not established 1st post corner to Sec? 8. 9. 16. & 17. from which a M. Oak 24. in? diam? S. 58. E. 16. lbs. dist? & a Maple 10. in? in diam? bears A. 83. W. 32. lbs. dist. This mile is mostly level. but thin soil. Timber; Red & M. Oak.</p>
<p>South 16. 00 18. 00 25. 00 27. 00 40. 00 68. 87 80. 00</p>	<p>Between Sec? 16. and 17. T. 2. S. R. 8. W. A fork of Pataha 100. lbs. wide, bears M. The same fork which bears E. A M. Oak 26. in? in diam? The same fork of Pataha which bears M. 1st Quarter Sec. post from which a Maple 26. in? diam? bears S. 44. W. 26. lbs. dist? & a 12. in? diam? bears S. 88. E. 32. lbs. dist. A Maple 20. in? diam? 1st post corner for 16. 17. 20. & 21. on a soft Maple 10 in? diam? Creek glade Bottom Timber. R. & M. Oak Maple &c.</p>
<p>South 24. 94 40. 00 64. 00 80. 00</p>	<p>Between Sec? 20. & 21. T. 2. S. R. 8. W. A P. Oak 12. in? diam? 1st Quarter Sec. post from which a Dogwood 8. in? in diam? bears A. 53. E. 24. lbs. dist? & a 9. in? diam? bears S. 25. W. 13. lbs. A B. Oak 24. in? diam? Marked post corner to Sec? 20. 21. 28. & 29. on a B. Oak. 30. in? diam? 3rd rate upland, Timber. R. & M. Oak, &c.</p>
<p>West 40. 00</p>	<p>Between Sec? 4. and 9. T. 2. S. R. 8. W. 1st 1st Sec post from which a B. Oak 24 in? diam? bears S. 16. E. 18. lbs. dist? & a Hickory 8. in? diam? bears S. 33. E. 18. lbs. dist</p>

J. A. L. S. R. N. S. W. L. Mer

50. 00	Struck post corner to Sec? 4. 5. 8. & 9. — This mile runs over a Brushy, Bury ridge. Timber scattering Hickories & Logwoods.
West	Between Sec? 9. & 16. J. A. L. S. R. N. S. W.
40. 00	Get Quarter Sec. post from which a Gum 11 in? diam? bears N. 4. W. 10. lbs. dist. to Logwood 8 in? diam? bears S. 8. E. 12. lbs. dist.
50. 00	Struck post corner to Sec? 8. 9. 16. & 17. The first half mile rich. 2 nd rate Bottom. last half. low hills. Timber Red Oak W. Oak. Hickory & Logwood.
West	Between Sec? 2 and 11. J. A. L. S. R. N. S. W.
22. 00	A W. Oak 12 in? diam?
40. 00	Get Q ^r Sec. post from which an Oak 24 in? diam? bears S. 6. 5. E. 20. lbs. dist. to W. Oak 8 in? diam? bears N. 8. W. 36. lbs. dist.
72. 86	A B. Oak 36 in? diam?
80. 00	Struck Post Corner to Sec? 2. 3. 10. & 11. This mile 3 rd rate upland. Barren. Bury & hills of Saplings. Low scatterings Oaks & few.
South	Between Sec? 10. and 11. J. A. L. S. R. N. S. W.
40. 00	Get a Q ^r Sec. post from which a Logwood 8 in? diam? bears S. 4. E. 15. lbs. dist. to an Elm 14 in? diam? bears S. 54 E. 25. lbs. dist.
60. 00	A B. Oak 18 in? diam?
80. 00	Get a post corner to Sec? 10. 11. 14 & 15. from which a B. Oak 20 in? diam? bears N. 70. W. 54 lbs. dist. to a W. Oak 24 in? diam? bears S. 64 W. 66 lbs. dist. First half mile no timber second half a few Oaks.
South	Between Sec? 14 & 15. J. A. L. S. R. N. S. W.
13. 38	A B. Oak 13 in? diam?
40. 00	Marked Q ^r Sec. post on a B. Oak Sapling 5 in? diam? in a Barren Glade.
70. 00	A Hickory 24 in? diam?
80. 00	Get post corner to Sec? 14. 15. 22 & 23 from which a B. Oak 24 in? in diam? bears N. 57. W. 52 lbs. dist. to a B. Oak 20 in? in diam? bears S. 36. W. 50. lbs. dist. A plenty of Burs. Gropes vines & Saplings. & a few Oaks.

J. A. L. S. R. No 8. W. 2nd Mer.

South	Between Sec. 22 & 23. J. L. S. R. No 8. W.
23. 50	A Maple 24 in? diam?
40. 10	Set a Quarter Sec. post from which a Gum 9 in? diam? bears S. 3. E. 9. lbs. dist. & a B. Oak - in? diam? bears - 86 N. E. 16 lbs. dist.
55. 50	A W. Oak 24 in? diam?
80. 10	Set post Corner to Sec? 22. 23. 26. & 27. in a Forked W. Oak 13 in? diam? - The first half of this mile is low land. Sec. 2 nd half 1 st rate Bottom. Oak & Hickory Timber.
West	Between Sec? 22. and 27. J. L. S. R. No 8. W.
16. 10	Set 1/2 Sec. post from which a W. Oak 20 in? diam? bears S. 80. W. 17 lbs. dist. & a B. Oak - in? diam? bears S. 28. E. 15 lbs. dist.
60. 10	A Branch of Potoka 60 lbs. wide bearing N. W.
80. 10	Struck post Corner to Sec? 21. 22. 27. & 28. This mile mostly Creek bottom. N. & W. Oak. Timber.
West	Between Sec? 23. & 26. J. L. S. R. No 8. W.
16. 10	A Run 16 lbs. wide bearing S.
40. 10	Set a Quarter Sec. post from which a Hickory 11 in? diam? bears N. 33. E. 22 lbs. dist. & a Dogwood 8 in? diam? bears N. 52. W. 22 lbs. dist.
80. 10	Struck post Corner to Sec? 22. 23. 26. & 27. This mile is 3 rd rate hill land. Brushy, & thinby Timbered with Oaks.
South	Between Sec? 23. & 24. J. L. S. R. No 8. W.
40. 10	Set 1/2 Sec. post from which a Spun Oak 20 in? diam? bears S. 50. W. 32 lbs. dist. & an Elm 6 in? in diam? bears S. 43. E. 16 lbs. dist.
40. 75	A Brook 10 lbs. wide Course S. 80. W.
80. 10	Set post Corner to Sec? 23. 24. 25. & 26. from which a Honey Locust 12 in? diam? bears S. 8. E. 17 lbs. dist. & a S. Oak 14 in? in diam? bears N. 24. W. 29 lbs. dist. Third rate hills. Birch. Sassafras. Oaks &c.
South	East of Sec 13. in J. L. S. R. No 8. W.
40. 10	Set 1/2 Sec. post from which a W. Oak 24 in? diam? bears

T. N. 2. S. R. N. 8. W. 2nd Mer.

48. 00	N. 82 E. 25. lks. dist. to Logwood 8. in? diam? bears S. 75. E. 28. lks.
50. 00	Get a post corner to Sec? 13. & 24. from which a M. Oak 12. in? in diam? bears N. 41. W. 12. lks. dist. to a M. Oak 14. in? diam? bears S. 44. W. 46. lks. dist. — The first half mile low Barren without Timber. — second half mile 2nd rate. Hill land. Oak timber.
West	Between Sec? 13. & 24. T. 2. S. R. 8. W.
18. 21	A M. Oak 24. in? diam?
40. 00	Get Quarter Sec? post from which a Open Oak 12. in? diam? bears S. 71. E. 35. lks. dist. to an Elm 10. in? diam? bears S. 7. lks.
45. 00	A Hickory 18. in? in diam?
50. 00	Struck Post corner to Sec? 13. 14. 23. & 24. Open M. Oak Land. Second rate Hills. &c.
South	On the East of Sec. 24. in T. 2. S. R. 8. W.
27. 14	A M. Oak 20. in? diam?
40. 00	Get a Q ^r Sec. post from which a M. Oak 12. in? in diam? bears N. 25. E. 24. lks. dist. to a M. Oak 11. in? diam? bears N. 71. W. 47. lks.
70. 00	A M. Oak 30. in? diam?
80. 00	Get Post corner to Sec? 24 & 25. from which a M. Oak 14. in? in diam? bears N. 87. W. 42. lks. dist. to a M. Oak 14. in? in diam? bears S. 44. W. 80. lks. dist. 2nd rate M. Oak ridges.
South	East of Sec. 25. in T. 2. S. R. N. 8. W.
21. 00	A M. Oak 20. in? diam?
40. 00	Get Q ^r Sec. post from which an Oak 12. in? in diam? bears N. 46. E. 35. lks. dist. to a M. Oak 13. in? diam? bears S. 7. W. 31. lks. dist.
48. 00	A M. Oak 28. in? diam?
50. 00	Get Post corner to Sec? 25. & 36. from which a Gum 11. in? in diam? bears N. 10. W. 40. lks. dist. to a Gum 9. in? diam? bears N. 56. W. 65. lks. dist. This mile level M. Oak Land. second Quality Hill. &c.
South	East of Sec. 36. T. 2. S. R. N. 8. W.

T. L. S. R. No. 8. W. 2nd Mer.

40. 00	Get Quarter Sec post from which a Maple 12. in. in diam. bears S. 52. N. 78. lbs. dist. & a D. 8. in. diam. bears S. 51. E. 22. lbs. dist.
67. 00	Cut Creek 80. lbs. wide, Course N. W.
74. 00	Crossing it at the forks. one coming from the S. W. & 1. from the East.
80. 00	Get Township Corner & corner to Sec. 36. from which a Birch 12. in. diam. bears N. 24. N. 50. lbs. dist. and a B. Walnut 8. in. in diam. bears N. 83. N. 35. lbs. dist. Flat Land; Timber. Red Oak. W. Oak. & Gum.
South	Between Sec. 25. and 26. in T. L. S. R. No. 8. W.
25. 44	Chickadee 12. in. diam.
40. 00	Get Q. Sec. post from which an Elm 11. in. in diam. bears E. 80. N. 14. lbs. dist. & a Maple 7. in. diam. bears S. 43. N. 39. lbs.
63. 98	A W. Oak 24. in. diam.
80. 00	Get post corner to Sec. 25. 26. 35. & 36. from which a W. Oak 11. in. diam. bears S. 80. E. 12. lbs. dist. & a W. Oak 10. in. diam. bears S. 15. E. 20. lbs. dist. - This mile is thin. Brushy Land. A few scattering B. & W. Oaks.
South	Between Sec. 35. & 36. T. L. S. R. No. 8. W.
25. 10	A W. Oak 20. in. diam.
27. 18	A Fork of R. 100. lbs. wide, Course N.
40. 00	Get Q. Sec. post from which a Maple 30. in. diam. bears North 22. lbs. dist. & a D. 8. lbs. S. 43. N. 25. lbs. distant.
80. 00	Get Post corner to Sec. 35. & 36. from which a Hickory 11. in. diam. bears S. 22. E. 18. lbs. dist. & a Hickory 10. in. diam. bears E. 75. N. 70. lbs. dist. This mile is 2 nd & 3 ^d rate land (Flat). Timber. Red & W. Oak.
West	Between Sec. 25. & 36. T. L. S. R. No. 8. W.
40. 00	Marked Q. Sec. post on a Spanish Oak 15. in. diam. Standing in a Brushy thicket.
80. 00	Struck post corner to Sec. 25. 26. 35. and 36. This mile poor land; the last part very brushy Timber B. Oak. W. Oak. & Spanish Oak.

J. L. S. R. N. 8. N. 2nd Mer

West	Between Sec. 26. and 35. J. L. S. R. N. 8. N.
37. 00	A W. Oak 18. in? diam?
40. 00	Get Q ^r Sec. post from which a Gum 8. in? diam? bears S. 12. E. 7. lbs. dist. & a W. Oak 10. in? diam? bears N. 23. W. 17 lbs.
68. 00	Fork of Patcha 100. lbs. wide bearing E.
80. 00	Struck post Corner to Sec. 26. 27. 34. & 35. This mile is then flat land. Timber B. & W. Oak.
South	Between Sec. 26. and 27. J. L. S. R. N. 8. N.
20. 00	A Branch of Patcha 2 ch? bears W.
33. 38	A B. Oak 30. in? in diam?
40. 00	Get Q ^r Sec. post from which an R. Oak 16. in? in diam? bears N. 37. E. 18. lbs. dist. & a Gum 12. in? in diam? bears N. 55. W. 14. lbs. dist.
51. 50	A Fork of Patcha 100. lbs. wide, bears W.
58. 00	The same Fork bears E.
64. 00	The same Fork bears W.
80. 00	Get post Corner to Sec. 26. 27. 34. & 35. from which a Hickory 9. in? diam? bears S. 80. W. 13. lbs. dist. & a D. 8. in? diam? bears S. 6. E. 9. lbs. dist. — This mile is flat brushy land. Timber. Oak. & Hickory.
West	On the S. side of Sec. 36. in J. L. S. R. N. 8. N.
1. 50	A Creek 80. lbs. wide, course N. W.
5. 00	A B. Oak 30. in? diam?
40. 00	Get Q ^r Sec. post from which an Elm 10. in? diam? bears N. 4. W. 9. lbs. dist. & a B. Oak 8. in? bears N. 72. E. 8. lbs. dist.
80. 00	Struck post Corner to Sec. 35. & 36. This mile is third rate land mostly flat but thin. Timber. Oak & Hickory.
West	Between Sec. 12. & 13. J. L. S. R. N. 8. N.
40. 00	Marked Quarter Sec. post on a Spanish Oak 10. in? diam?
70. 00	A Post Oak 8. in? in diam?
80. 00	Struck post Corner to Sec. 11. 12. 13. & 14. This mile is the worst of 3 ^d rate land. Barren brushy & briery scarce by any timber. a few Oaks.

T. L. G. R. No 8. W. 2nd Mer.

West	Between Sec 1. and 12. T. L. G. R. 8. W.
40. 00	Get off Sec. post on a Barren farm which no bearing trees could be taken
50. 00	Struck post Corner of Sec. 1. 2. 11. & 12. Barren Hills & miles West bush hollows. Most of 3 rd rate Land a few scattering Oaks.
West	Between Sec 24. & 25. in T. L. G. R. 8. W.
20. 00	A W. Oak 20. in? in diam?
40. 00	Get off Sec. post from which a W. Oak 12. in? diam? bears S. 32. E. 42. lbs. dist. & an Oak 15. in? diam? bears S 52. W 34. lbs. dist.
66. 80	A W. Oak 24. in? diam?
80. 00	Struck post Corner to Sec. 23. 24. 25. & 26. This mile Flat. Oak ridges. Open 2 nd rate quality
West	Between Sec. 14. & 23. T. L. G. R. 8. W.
19. 50	A B. Oak 14. in? in diam?
40. 00	Get a Quarter Sec. post from which a B. Oak 12. in? diam? bears. N. 15. lbs. dist. & a W. Oak 11. in? diam? bears N. 12 1/2 E. 31. lbs. dist.
74. 00	A Red Oak 14. in? in diam?
80. 00	Struck post Corner to Sec. 14. 15. 22. & 23. This mile third rate Hill Land. B. & W. Oak Timber
West	Between Sec. 11. & 14. T. L. G. R. 8. W.
21. 28	A Hickory 20. in? diam?
29. 15	A Hickory 24 in? diam?
40. 00	Get a Quarter Sec. post from which a B. Oak 10. in? in diam? bears N. 70 1/2. W 34. lbs. dist. & a W. Oak 8. in? diam? bears N 5. E. 37. lbs. dist.
50. 00	Struck post Corner to Sec. 10. 11. 14. & 15 This mile poorest of upland. Birch & Grubs. & a few Oaks.
West	Between Sec. 10. & 15. T. L. G. R. 8. W.
13. 31	A B. Oak 20 in? in diam?

T. M. L. S. R. No 8. M. L. 2nd Mer.

40. 00	Get Quarter Sec. post from which a Pin Oak 6. in? diam? bears N. 65. E. 11. lks. dist. & a Pin Oak 6. in? in diam? bears N. 10. E. 24 lks. dist.
74. 84	A Hickory 14. in? diam?
80. 00	Struck post corner to Sec? 9. 10. 15. 16. - This mile far poor barren Land full of Brush & thorns. & a few Oak trees.
South	On Range line between Sec? 7. & 8. & Towns 2, & 2. between Sec? 6. & 1.
40. 00	Get Quarter Sec. post from which a M. Oak 14. in? diam? bears S. 9. W. 34 lks. dist. & a M. Oak 18. in? diam? bears N. 42. E. 48 lks. dist.
80. 00	Get post corner to Sec? 1 12. 6 & 7. from which a Swamp Oak 24. in? diam? bears N. 63. E. 14. lks. dist. & a Sec? 24. in? in diam? bears N. 66. W. 71. lks. dist. - This mile Land 3 rd rate. Barren. Brushy. Briery & no timber.
South	Between Ranges 7. & 8. & between Sec? 7. & 12. & between T. 2 & 2.
40. 00	Get Quarter Sec. post from which a B. Jack 4. in? diam? bears S. 82. E. 22. lks. dist. and no other timber. Oct. 26.
80. 00	Sec. post fell in barren land no timber This mile the Land is third rate Brushy. Briery &c.
South	Between Sec? 3. & 4. from post in a Swamp.
8. 00	To the edge of the swamp.
17. 80	Setoka 2 ch. wide. bears W.
40. 00	Get a Qr. Sec. post from which a M. Oak 20. in? diam? bears N. 63. W. 26. lks. dist. & a M. Oak 10. in? diam? bears N. 38. E. 26. lks.
73. 50	A Hickory 8. in? in diam?
80. 00	Get post corner to Sec? 3. 4. 9. 10. from which a Hickory 14. in? in diam? bears N. 37. W. 13. lks. dist. & a Sec? 18. in? in diam? bears S. 69. E. 37. lks. dist. This mile the Land is hilly 2 nd rate. Timber. Oak. ash. Elm & Logwood.
South	Between Sec? 9. & 10. T. 2 T. 8. W.
4. 72	A B. Oak 20. in? in diam?
40. 00	Get Qr. Sec. post on a B. Oak 18. in? diam?

T. 2. S. R. N. 8. W. 2nd Mer

55. 18 A Hickory 18. in? in diam?
 80. 00 Get Post Corner to Sec? 9. 10. 15 & 16. from which a Soft-Maple 15. in? diam? bears N 52 E. 32. lks. dist. & a B. Jack 5. in? diam? bears N 85. W. 37. lks. dist. This mile Land first rate hills. Timber, Ash, Elm, Oak, & Dogwood.

South Between Sec? 15. & 16. T. 2. S. R. 8. W.
 2. 80 A Soft Maple. 18. in? diam?
 40. 00 An Elm 8. in? diam? on which G. Sec. post is marked.
 47. 07 A Hickory 9. in? diam?
 80. 10 Get a post Corner to Sec? 15. 16. 21 & 22. from which a W. Oak 24. in? diam? bears S. 87. E. 36. lks. dist. & a B. Oak 18. in? diam? bears N. 87. W. 30. lks. dist. Land low level &c. 2nd rate. Timber, Oak, Elm, W. Oak &c.

South Between Sec? 21. & 22. T. 2. S. R. 8. W.
 6. 00 A Red Oak 15. in? diam?
 25. 00 A Drain 20. lks. wide, Course N.
 40. 10 Get a Quarter Sec. post from which a Soft Maple 12. in? in diam? bears S. 72. W. 7. lks. dist. & a W. Oak 6. in? diam? bears N. 72. E. 17. lks. dist.
 41. 00 A Brook 30. lks. wide, Course S. 45. W.
 72. 05 A W. Oak 24. in? diam?
 80. 00 Get Post Corner to Sec? 21. 22. 27. & 28. from which a W. Oak 30. in? diam? bears S. 52. E. 17. lks. dist. & a Hickory 8. in? diam? bears N. 52. W. 50. lks. dist. This mile the Land is Creek bottom. mostly; Timber, Oak, Hickory, Elm, & Dogwood,

West Between Sec? 3. & 10. T. 2. S. R. 8. W.
 30. 26 A W. Oak 24. in? diam?
 40. 06 Get Quarter Sec. post marked in a W. Oak 20. in? diam?
 48. 80 A Red Oak 25. in? diam?
 80. 12 Get post Corner to Sec? 3 & 4. 9. & 10 - This mile is 2nd rate hill Land. Timber mostly Oak, Dogwood &c.
 Random fell 13. link S. of the Post.

T. N. E. G. R. N. S. W. 2nd Mer.

West Boundary	
South	Between Ranges 8. & 9. & Between Sec. 6. & 11. Towns 2 and 2.
7. 25	A Red Oak 36. in? diam?
40. 00	Set a Quarter Sec. post from which a B. Oak 30. in? diam? bears S. 36. W. 30. lbs. dist. & a B. Oak 30. in? diam? bears N. 24. W. 36. lbs.
59. 55	A Red Oak 18. in? diam?
80. 00	Set a Post Corner to Sec. 6. & 7. from which a B. Jack 18. in? diam? bears S. 49. W. 14. lbs. dist. & a Hickory 12. in? diam? bears N. 54. E. 45. lbs. dist. — This mile the Land is hilly & Brushy 3 rd rate. Timber W. R. & B. Oak B. Jack &c. Oct. 28.
South	Between Ranges 8. & 9. between Sec. 7. & 12. and Towns 2 and 2.
27. 20	A B. Oak 20. in? diam?
40. 00	Set a Quarter Sec. post from which a B. Jack 21. in? diam? bears S. 76. E. 30. lbs. dist. & a Hickory 14. in? diam? bears S. 69. W. 59. lbs.
74. 50	A Elm 12. in? diam?
80. 00	Set a Post Corner to Sec. 7. & 12. from which a B. Jack 8. in? in diam? bears N. 6. E. 21. lbs. dist. The Land in this mile 3 rd rate. Hill. Brushy. Timber. B. Jack, Oak, Hazel, Logwood, &c.
South	Between Ranges 8. & 9. & between Sec. 13. & 13. and Towns 2 & 2
9. 40	A B. Oak 15. in? in diam?
40. 00	Set a Quarter Sec. post from which a Hickory 5. in? in diam? bears S. 31. E. 5. lbs. dist. & a B. Oak 36. in? diam? bears N. 31. W. 44 lbs.
70. 00	A B. Oak 20. in? diam?
80. 00	Set post Corner to Sec. 13. & 19. from which a Logwood 8. in? in diam? bears N. 6. E. 40. lbs. dist. & a Hickory 7. in? in diam? bears S. 11. E. 15. lbs. dist. Land flat ridges. 2 nd rate. Timber W. B. & Red Oak. Hickory &c.
South	Between Ranges 8. & 9. & Sec. 19. & 24. and Towns 2. & 2.
10. 10	A Red Oak 12. in? in diam?
40. 00	Set a Quarter Sec. post from which a Logwood 8. in? diam? bears N. 25. E. 25. lbs. dist. & a Oak 8. in? diam? bears S. 25. W. 31. lbs. dist.
50. 00	Set a Post Corner to Sec. 19. & 30. from which a slippery Elm 7. in? in diam? bears N. 48. W. 12. lbs. dist. & a Oak 7. in? diam? bears S. 45. E. 17. lbs. dist.

T. L. S. R. & S. W. 2nd. Mer.

	Land Flat ridges 2 nd rate. Brushy & Briny Timber. Oak. Hickory. Dogwood.
South 40. 11	Between Ranges 5. and 9. & Sec? 30. & 15. and Towns 2. & 2. Set Quarter Sec. post from which a Hickory 14 in? diam? bears S. 69. W. 27. lks. dist no other bearings. or timber
02. 50	Struck Freeman's line. bearing S. 72. E. Set a post Corner to Sec. 30. from which a B. Oak 8 in? diam? bears N. 52. W. 17. lks. & a B. Oak 18 in? diam? bears N. 84. E. 22. lks. dist. — The Land on this mile 3 ^d rate. Burs. Hazle bushes & Dogwood in great plenty
South 4. 50	Between Sec? 5. and 6 T. 2. S. R. 8. W. A Soft Maple 15 in? diam?
25. 00	A creek 50 lks. wide; Course N. 45. W.
40. 00	The Post for Off. Sec? fell in Barrens, no timber
80. 00	Set Post Corner to Sec? 5. 6. 7. & 8. from which a Dogwood 7 in? diam? bears N. 52. W. 12. lks. dist? and a Sycamore 5 in? diam? bears S. 52. E. 12. lks. dist. — First half mile on Pulcha flats. cold. clay land. 2 nd half mile 3 ^d rate Hill. Land. Brushy & Briny Hazle bushes. &c.
South 40. 00	Between Sec? 7. & 8. T. 2. S. R. 8. W. Set Quarter Sec. post from which an Elm 20 in? diam? bears N. 89. W. 23. lks. dist? & a Sycamore 13 in? in diam? bears S. 88. E. 39. lks. dist.
75. 20	A W. Oak 18 in? in diam?
80. 00	Set post for Corner to Sec? 7. 8. 17. & 18. from which a W. Oak 17 in? diam? bears N. 78. E. 87. lks. dist? & a B. Oak 30 in? diam? bears N. 86. E. 43. lks. dist. Land 3 ^d rate Hill. Timber Oak Dogwood &c.
South 40. 00	Between Sec? 17. and 18. T. 2. S. R. 8. W. Oct. 29 th . Set Quarter Sec? post from which a Dogwood 7 in? diam? bears N. 63. E. 33. lks. dist? & a Hickory 13 in? diam? bears N. 69. W. 16. lks. dist.
80. 00	Set a post Corner to Sec? 17. 18. 19. 20. from which a Soft.

T. L. G. R. S. M. 2nd Mer.

		Maple 13 in? diam? bears N. 24 E. 24. lbs. dist? from Elm 12 in? diam? bears S. 50 W. 24 lbs. dist? — Land flat ridges, rather Brushy; third rate; Timber, Oak Hick? Logwood &c.
South	Between Sec ^s 19. and 20. T. L. G. R. S. M.	
40 00	A B. Oak 11 in? diam? on which quarter Sec. post is marked	
56. 56	A B. Oak 36 in? diam?	
56. 66	Get post corner to Sec ^s 19. 20. 29. & 30. from which a W. Oak 12 in? diam? bears S. 53. E. 22. lbs. dist? & a Hickory 8 in? diam? bears N. 68 W. 33. lbs. dist? The land on the first half mile is lilly, thin soil. 2 nd half more level 3 ^d rate Timber W. Oak. Red Oak. Hickory & Logwood.	
South	Between Sec ^s 29. & 30. T. L. G. R. S. M.	
11. 30	A Hickory 9 in? diam?	
40. 00	A Red Oak 36 in? diam? on which Quarter Sec. is marked.	
56. 66	A Hickory 14 in? diam? on which corner to Sec ^s 29. 30. 31. and 32. is marked. Land flat ridges. 3 ^d rate, Timber. Oak Hickory. Logwood &c. in this mile.	
South	Between Sec ^s 31. & 32. T. L. G. R. S. M.	
7. 50	A Hickory 14 in? diam? on Trumans line corner to Sec ^s 31. and 32. Land on this mile is third rate.	
West	Between Sec ^s 5. & 8. T. L. G. R. S. M.	
35. 67	A Brook sash 456 lbs. wide bears N.	
39. 67	A Sweet Gum 36 in? diam?	
46. 65	Get post from which a W. Oak 12 in? diam? bears N. 53. E. 11. lbs. dist? & a Gum 24 in? diam? bears S. 66. W. 26. lbs. dist?	
72. 26	A W. Oak 24 in? diam?	
56. 66	Get post corner to Sec ^s 5. 6. 7. and 8. This mile Patoka flats. Low cold & swampy Timber, Gum, Oak, Elm, Soft maple &c. Random fell 25 lbs. S. of the post.	
West	Between Sec ^s 8. & 17. T. L. G. R. S. M.	
26. 66	A buck 20 lbs. wide crossing the line bearing N.	

41 11	Get Quarter Sec. post from which a Hickory 18. in. in diam. bears N. 84. W. 30. lbs. dist. & a Do. 10. in. diam. bears S. 61. W. 51. lbs. dist.
77. 50	A Hickory 18. in. diam.
80. 60	To post corner to Sec. 7. 8. 17. & 18. — Land third Rate Hill, Timber, W. Oak, R. Oak, Spanish Oak, B. Jack, Dogwood &c. Random fell 50. lbs. S. of the post.
West	Between Sec. 16. & 21. T. 2 S. R. 8. W.
16, 60	A W. Oak 11. in. diam.
25, 60	A Brook 1. chain wide. bears N.
40, 62	A W. Oak 18. in. diam. on which Q ^r Sec. post is marking
44. 70	A W. Oak 17. in. diam.
80. 64	To Post Corner to Sec. 16. 17. 20. & 21. Land low & level. Brushy, Briery & thinby Timber with Oak, Elm soft Maple.
West	Between Sec. 17. & 20
59. 80	Get Quarter Sec. post from which a Hickory 13. in. diam. bears S. 40. E. 22. lbs. dist. & a Mulberry 13. in. diam. bears N. 28. W. 28. lbs. dist.
79, 60	Over Brushy, Briery & Swampy Land. to post corner to Sec. 17. 18. 19. & 20. — Timber, Elm, White, Black, & Red, Oak &c. Random fell 25. lbs. S. of the post.
West	Between Sec. 18. & 19. T. 2 S. R. 8. W.
40. 60	Get Post for Quarter Sec. from which a B. Jack 18. in. diam. bears S. 69. W. 36. lbs. dist. & an Elm 7. in. diam. bears N. 69. E. 16. lbs. dist.
70. 59	A B. Oak 36. in. diam.
50. 39	Over Low Swampy Cold Land to post corner to Sec. 18. & 19. Timber, Oak, Elm &c. — Random fell 12. lbs. S. of the post.
West	Between Sec. 21. & 25. T. 2 S. R. 8. W.
32. 50	A W. Oak 20. in. diam.
40. 66	Get post for Quarter Sec. from which a W. Oak 13. in. diam. bears S. 79. W. 26. lbs. dist. & a Do. 18. in. diam. bears N. 72. E. 66. lbs. dist.

T. 2. S. R. 5. N. 2nd Sec

80. 12	Over Hilky Brushy, poor Land to a B. Oak. 36. in? diam? to corner to Sec? 20. 21. 25. & 29. Timber, Oak, Hickory & Dogwood. 2 nd rate.
South 40. 66	Between Sec? 28. & 29. T. 2. S. R. 5. N. Get 1 st Q ^r Sec. post from which a B. Jack. 5. in? diam? bears S. 29. N. 15. lbs. dist? & a B. Jack. 5. in? diam? bears N. 74. E. 13. lbs. dist?
80. 66	Get post Corner to Sec? 28. 29. 32. & 33. from which a B. Oak 24. in? diam? bears N. 47. E. 12. lbs. dist? & a B. Oak 18. in? diam? bears S. 66. N. 45. lbs. dist. - This Land Hilky Brushy & Poor, Timber, Oak, B. Jack, Dogwood &c. C st 30 th .
South 32 56	Between Sec? 32. & 33. in T. 2. S. R. 5. N. Get post on Trumans line Corner to Sec? 32 & 33. from which a Hickory 16. in? diam? bears N. 34. W. 9. lbs. dist? & a Dogwood 16. in? diam? bears S. 27. W. 9. lbs. dist? This mile the Land is poor, Brushy, Brushy, &c. Timber Dogwood, small Oaks, B. Jack &c.
West 39. 55	Between Sec? 29. and 32. T. 2. S. R. 5. N. Get Quarter Sec. post from which a Soft Maple 18. in? diam? bears N. 80. W. 26. lbs. dist? & a Red Oak 16. in? diam? bears S. 80. E. 15. lbs. dist?
52. 70	A W. Oak 24 in? diam?
79. 76	Over poor Brushy, Brushy, Land to post Corner to Sec? 29. 30. 31. 32. Timber, Oak, Dogwood, &c.
West 40. 60	Between Sec? 20. & 29. T. 2. S. R. 5. N. Quarter Sec. post marked on a Hop lark 8. in? in diam?
80. 60	To post Corner to Sec? 19. 20. 29. & 30. - What ridges. Timber W. B. & R. Oak, Hickory Dogwood &c. 2 nd rate.
West 15. 66	Between Sec? 19. & 30. T. 2. S. R. 5. N. A B. Oak 15. in? diam?
46. 67	A Hickory 12. in? diam? in which Quarter Sec. post is marked.
75. 40	A Hickory 11. in? diam?

T. 2. S. R. 8. M. 2nd Mer.

60. 14	To post corner to Sec. 19. & 30. This mile is flat ridges 2nd rate. Timber, Oak, Dogwood, &c. Random fell 37. lbs. N. of post.
South S. 72. 6 42. 25 56. 70 64. 50	On Trumans line from Town Corner to Town 2. in Range 8. and Towns. 2 Range 9 Corner to Sec. 30. R. 8. & Sec. 26. R. 9. Set post from which a Hickory 11. in. diam. bears N. 45. E. 9. lbs. dist. & W. Oak 18. in. diam. bears N. 86. W. 53. lbs. dist. To Dogwood corner to Sec. 30. & 31. To post corner to Sec. 31. & 32.
S. 72. 6 42. 25 84. 50	On Trumans line from post corner to Sec. 31. & 32. Set Quarter Sec. post from which a Hickory 8. in. diam. bears N. 6. 23. lbs. dist. & a Hickory 20. in. diam. bears N. 72. W. 26. lbs. dist. To post corner to Sec. 32. & 33.
S. 72. 6 42. 25 84. 50	On Trumans line from post corner to Sec. 32. and 33. A Hickory 8. in. diam. on which Q ^r Sec. post is marked. To post corner to Sec. 33. & 34.
West 24. 46	Between Sec. 30. & 31. T. 2. S. R. 8. M. To Dogwood corner to Sec. 30. & 31. Land second rate on this mile. Timber, Oak, Dogwood, Hickory &c.
South 46. 66 86. 66	Between Sec. 27. & 28. T. 2. S. R. 8. M. Set Q ^r Sec. post from which a W. Oak 10. in. diam. bears N. 37. W. 36. lbs. dist. & a W. Oak 12. in. in diam. bears S. 43. E. 20. lbs. dist. Set post corner to Sec. 27. 28. 33. & 34. from which a Red Oak 13. in. diam. bears S. 4. W. 35. lbs. dist. & a Dogwood 8. in. diam. bears N. 25. E. 20. lbs. dist. Land 3 ^d rate Hilky, Brushy, &c. Timber, the same as above. Oct. 31 st
South 40. 66	Between Sec. 33. & 34. T. 2. S. R. 8. M. A B. Oak 11. in. diam. on which the Q ^r Sec. post is marked.

T. 2 S. R. 5. N. 8. (W. 2nd Mer.

00. 13	To Trummers line at a Dogwood 8. in? diam? Corner to Sec? 33. & 34. The land the same as above & timber also.
West	Between Sec? 28. & 33. T. 2 S. R. 5. N.
9. 40	A W. Oak 16. in? diam?
40. 00	A Dogwood 8. in? diam? on which of? Sec? post is marked.
43. 50	A B. Oak 18. in? diam?
50. 00	Set post corner to Sec? 28. 29. 32. & 33. — The first half low brushy & poor; 2 nd half Hilly brushy & poor & 3 rd rate timber. Oak. B. Jack. & Dogwood. Random fell N. of the post 6. lks.
West	Between Sec? 6. & 7. T. 2 S. R. 5. N.
1. 08	A Hickory 18. in? diam?
40. 09	A B. Gum on which the of? Sec? post is marked. (9 diam?)
50. 18	Set post corner to Sec? 6. & 7. The first half mile is brushy &c. 2 nd half mile betw. West & 3 rd rate. Timber B. Jack. Oak &c.
West	Between Sec? 7. & 18. T. 2 S. R. 5. N.
39. 00	A Sweet Gum 36. in? diam?
40. 00	Set of? Sec? post from which a B. Oak 30. in? diam? bears S. 69. E. 14. lks. dist & a Dogwood 9 in? diam? bears S. 84 W. 28 lks. dist
50. 00	To post corner to Sec? 7. & 18. Land thin & rate brushy with Hick. & Dogwood. Timber B. Jack. Oak Dogwood &c. Random fell 40. lks South of the post.
West	Between Sec? 27. & 34. T. 2 S. R. 5. N. Random fell 60. lks S. of the post.
39. 50	A Soft Maple 18. in? diam? marked on which of? Sec? post is marked
75. 00	A Hickory 20. in? diam?
79 00	To post corner to Sec? 27. 28. 33. & 34. The of? Sec? post stands on a creek flat. — The two ends of this tract are poor & brushy, 3 rd rate. Timber Oak. Elm. & Dogwood.
South	Between Sec? 34. & 35. T. 2 S. R. 5. N.
6. 00	A B. Oak 36. in? in diam?
40. 00	A W. Oak 12. in? in diam? on which of? Sec? post is marked.
50. 00	A Red Oak 24. in? diam? on which corner is marked for.

T. N. 2. S. R. N. 8. W. 2nd Mer.

	Sec? 35. 36. 3. & 2. Land flat ridges. The soil thin. Timber the same as the last.
S. 72. 6. 42. 25 56. 61 84. 50	On Trumans line from post corner to Sec? 31. & 33. Set the 4. in? diam? on which Off? Sec. post is marking. Set post corner to Sec? 34. & 3. from which a Black 9. in? diam? bears S. 16. E. 50. lbs. dist. Soil light thin &c. Similar same as before. To the post corner to Sec? 2 & 3. in Town 3.
West 32. 50	Between Sec? 34. & 3. & Between Towns 2 & 3. in Range 8. To post on Trumans ^{line} corner to Sec? 34. & 3. on the line between Towns 2 & 3. in Range 8. Timber & Land the same as before.
West 40. 00 75. 50 80. 00	Between Sec? 35. & 2. Towns 2 & 3. in Range 8. Set Off? Sec. post from which a Hickory 10. in? diam? bears S. 77. W. 30. lbs. dist. & a Dogwood 8. in? diam? bears S. 81. E. 2. 1/4. lbs. dist. A Black Oak 15. in? in diam? To post corner to Sec? 34. 35. 3. & 2. The first half mile Creek flats. Cold clay Land. 2 nd half Flat ridges Similar is large. The same kind as above.
S. 72. 6. 42. 25 84. 50	On Trumans line from post corner to Sec? 3. & 12 Towns 3. A Soft Maple 18. in? diam? on which Off? Sec. post is marking To post corner to Sec? 35. 36. 1. & 2.
West 40. 00 60. 00 80. 00	Between Sec? 15 & 22. T. 2 S. R. 8 W. Set Off? Sec. post from which a Hickory 10. in? diam? bears S. 13. W. 35. lbs. dist. & a Dogwood 9. in? diam? bears S. 30. E. 23. lbs. dist. A Soft Maple 12. in? diam? To post corner to Sec? 15. 16. 21. 22. This mile the Land is flat ridges. 2 nd rate, Similar as before. - Mer. 2 nd .
South 16. 05	Between Sec? 33. & 34. Jan? 12 th 1866. Intersects Old Indian Boundary line

J. L. I. R. & S. W. 2nd Apr

- 27, 33 A B. Oak 14 in? in diam?
 34, 18 Intersect Township line 1 ch? 37 lbs. west of the 3. mile post.
 Over level land. Timber Oak Hickory & Dogwood. Set a post
 from which a Hickory 16 in? diam? bears S. 36. E. 44 lbs. dist
 & a B. Oak 19 in? diam? bears S. 64. W. 48 lbs. dist

- South Between Sec? 32. & 33. Jan? 14th. 18. 66.
 32, 54 Cross the Indian line.
 40, 66 Set half mile post from which a B. Oak 11 in? diam? bears
 S. 40. W. 30 lbs. dist & a W. Oak - in? diam? bears S. 40. E. 13 lbs.
 48, 67 A Hickory 12 in? in diam?
 75, 50 A B. Oak 30 in? diam?
 77, 42 The Town line 168 lbs. W. of Corner over level land. Timber
 Oak & Hickory. Set a post from which a B. Oak 22 in? in
 diam? bears S. 77. E. 23 lbs. dist & a W. Oak 13 in? diam? bears
 S. 11. E. 47 lbs. dist

- South Between Secs 31. and 32. J. L. I. R. & S. W.
 7, 65 Cross the Indian line
 19, 65 A Hickory 16 in? diam?
 37, 75 A W. Oak 16 in? diam?
 40, 66 Set half mile post from which a W. Oak 10 in? diam?
 bears S. 18. W. 21 lbs. dist & a D? 10 in? diam? bears S. 50. E. 17 lbs.
 79, 10 at Stream 25 lbs wide. Course S. 40. W.
 81, 10 Intersect Town line 4 ch? & 90 lbs. W. of the Corner. Set a
 post from which a W. Oak 15 in? diam? bears S. 52. W. 25 lbs.
 dist & a D? 15 in? diam? bears S. 81. W. 3 lbs. dist This mile
 level land. Timber Oak, Hickory & Dogwood. Soil good & growing

- West Between Sec? 30. and 31. J. L. I. R. & S. W.
 23, 36 Intersect the Old Indian line.
 28, 66 at Stream 5 lbs wide Course S. 46. W.
 30, 78 A Hickory 16 in? in diam?
 40, 66 Set half mile post from which a B. Oak 15 in? in diam?
 bears S. 5. E. 35 lbs. dist & a Hickory 9 in? diam? bears S. 36.
 W. 25 lbs. dist

T. & L. V. Co. & S. W. & Co. Mer.

- 46.62 a B. Oak 14 in? diam?
 59.16 a Hickory 11 in? in diam?
 66.60 a Beech 25 lbs. wide bears & bark.
 76.35 a tiny stream 15 lbs. wide, bears & bark
 79.57 Intersect Range line 20 lbs. S. of corner. Land level
 Timber, Oak, Hickory & Sugar. Set post from which
 a Hickory 16 in? in diam? bears S. 22. E. 6. lbs. dist.
 & a Gum 16 in? in diam? bears N. 46. W. 5. lbs. dist.

South On E. boundary Sec. 25, T2 R9 W

Sept. 18th 1805. Commenced at the gr. Sec. Cor. E. Side
 of Section 25, T2 R9 W; Thence

- 21.50 to S. boundary of ~~Sec 25~~ Vincennes tract
 24.83 a Logwood 9 in. diam?
 27.50 a Branch 12 lbs. wide Course N.W.
 40.00 Set post Cor. to Sec. 25 & 36, from which
 a B. Gum 12 in. diam? bray S 23 W 15 lbs. dist. &
 a Logw. 6 " " " N 73 W 30 " "
 This 1/2 Mile level (Middling land, timber Oak, Hickory
 Logwood &c.

South On E. boundary of Sec. 36, T2 R9 W

26.50 a Branch 12 lbs. wide C. N. E. kept up the same
 crossing it several times

- 40.00 Set gr. Sec. post, from which
 an Elm 10 in. diam? bray N 64 W 28 lbs. dist. &
 a Ho. 8 " " " S 66 E 28 " "
 71.62 an Elm 26 " "
 80.00 Set post Cor. to Township 2 & 3 South, Range 7
 8 & 9 West, from which
 a B. Oak 36 in. diam? bray S 60 W 54 lbs. dist. &
 a Ho. 24 " " " N 40 W 38 " "
 This mile level & pretty good quality, timber N. B.
 Oak, Hickory, Elm &c. underg. Logwood, Spruce & Hazel
 William Hector, M.D.

S.S. R&W. 2nd Mer. Indianach^d. l^y.South Boundary var. 7.00' E
Jan. 11th 1806.East On Rand^m: S. boundary Sec. 314.75 a Stream 6 l^{ks}. wide Course N 20 W

22.50 a do. 15 " " " N.

40.00 Set temp^y. q^r. Sec. post52.56 a Stream 9 l^{ks}. wide Course N.80.00 Set temp^y. Cor. to Sec^s. 31 & 32. Land ~~level~~ level
timber Oak, Hickory & Logwood, undergth. Spruce brushJanuary 12th 1806East On Rand^m: S. boundary Sec^s. 320.10 a Stream 16 l^{ks}. wide Course N 20 W40.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. cor. to Sec^s. 32 & 33

Land timber &c. Same as on the last mile

East On Rand^m: S. boundary Sec. 3340.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Cor. to Sec^s. 33 & 34

Land timber &c. Same as on the last mile

East On Rand^m: S. boundary Sec. 3440.00 Set temp^y. q^r. Sec. post41.50 a Stream 25 l^{ks}. wide Course N 80 E.58.37 Intersected the old Indian boundary line 15 l^{ks}. N. of
post. Set 18 ch^d. through a cedar tree thicket.West Correl^d on S. boundary of Sec. 34

26.63 pass a post on old Indian boundary line

40.00 Set q^r. Sec. post, from whicha W. Elm 11 in. diam. bear N 77 W 32 l^{ks}. dist. of

a do. 9 " " " S 35 E 9 " "

80.00 Set post Cor. to Sec^s. 33 & 34, from whicha B. Oak 28 in. diam. bear S 55 W 26 l^{ks}. dist. of

a Hickory 11 " " " N 66 E 23 " "

T.S. R8W. 2^d. Mer. Indiana

ch. 1/2 hr.

West Corrected on S. boundary of Sec. 33

- 40.00 Set of Sec. post, from which
 a Dogwood 6 in. diam. bears N 23 1/2 W 110 lbs. dist. 5
 a W. Oak 8 " " " S 5 W 46 " "
- 80.00 Set post Cor. to Sec. 32 & 33, from which
 a B. Oak 18 in. diam. bears S 30 E 29 lbs. dist. 5
 a Hickory 13 " " " N 55 W 18 " "

West Corrected on S. boundary of Sec 32

- 40.00 Set of Sec. post, from which
 a B. Oak 11 in. diam. bears N 45 E 40 lbs. dist. 5
 a Do. 13 " " " S 37 W 38 " "
- 80.00 Set post Cor. to Sec. 31 & 32, from which
 a W. Oak 16 in. diam. bears N 32 W 26 lbs. dist. 5
 a Do. 17 " " " S 15 W 38 " "

West Corrected on S. boundary of Sec. 31

- 40.00 Set of Sec. post, from which
 a W. Oak 13 in. diam. bears N 15 W 19 lbs. dist. 5
 a Hickory 10 " " " S 15 W 19 " "
- 85.00 to the Township Corner. January 15. 1806
 Sam^l. H. Smith,
 Deputy Surveyor

North Boundary Oct. 22^d. 1804

West On S. boundary of Sec. 36, T.S. R8W

- 40.00 Set of Sec. post, from which
 a Hickory 12 in. diam. bears S 59 E 9 lbs. dist. 5
 a W. Oak 14 " " " N 26 E 41 " "
- 80.00 Set post Cor. to Sec. 35 & 36, from which
 a W. Oak 12 in. diam. bears S 49 E lbs. dist. 5
 a Hickory 15 " " " S 55 W 90 " "
- Poor farmland - trees - no timber

West On S. boundary of Sec. 35, T.S. R8W.

- 5.00 a Run 10 lbs. wide Course North

T2S R8W, 2^d Mer. Indiana

ch. l. l.

40.00 Post fell in Barren, (no bearing tree)

80.00 Set post Cor. to Sec. 34 & 35, from which
an Elm 20 in. diam. bearing S48 E 11 l. dist. of
a W. Oak 8 " " " N60 W 12 " "No timber on 1st 1/2 mile - 2nd 1/2 mile low scrubby Oak

West On S. boundary of Sec. 34, T1S, R8W.

40.00 Set q. Sec. post, from which
a Hickory 10 in. diam. bearing N83 W 10 l. dist. of
a No. 12 " " " S30 E 20 " "

64.00 Patoka Creek 150 l. wide Course S.E.

75.00 Struck a pond so deep as to prevent, us from establishing
post Cor. to Sec. 33 & 34 which fell in said pond
Patoka Bottom 3rd rate - Oak, timber, brushy. undg.th

80.00 Cor. to Sec. 33 & 34 in pond.

West On S. boundary of Sec. 33, T1S, R8W.

40.00 Set q. Sec. post, from which
an Elm 6 in. diam. bearing N42 W 35 l. dist. of
a Sugar 12 " " " S80 E 25 " "

56.00 to Patoka 200 l. wide Course N.

72.00 to do 200 l. " " S.

80.00 Set post Cor. to Sec. 32 & 33, from which
an Elm 14 in. diam. is a corner treeLow Creek bottom, some swampy & ponds, timber
Oak, Hickory, Elm &c.

West On S. boundary of Sec. 32, T1S, R8W

2.25 to Patoka Creek 200 l. wide Course N.

18.50 to do. do. 300 " " S.

30.00 to do. do. — " " N.W.

40.00 Set q. Sec. post, from which
a Gum 15 in. diam. bearing N54 E 30 l. dist. of
a Hickory 9 " " " N30 W 8 " "80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 10 in. diam. bearing N74 W 32 l. dist. of

T^h S. R⁸ W. 2^d Mer. Indianach^d l^{ts}.

a P^o Oak 24 in. diam., bear S 29 1/2 W 1/2 l^{ts}, dist. of
Land timber &c. same as on last mile but no pond

West On S. boundary of Sec. 31, T¹ S. R⁸ W

8.00 to the Mouth of a run 4 l^{ts}, wide running into Patoka
appearing to run N.

40.00 Set of Sec. post, from which
a Hickory 7 in. diam. bear N 32 E 8 l^{ts}, dist. of
a Gum 10 " " " 18 E 34 " "

80.70 to post Cor. to Towns 16 2 S. Range 8 & 9 West
Land brushy, brush &c. 2^d rate,
timber Elm, Gum, Oak &c.

November 22^d. 1804

Edward W. Tappan

Augustus Stone,

Deputy Surveyors

I Certify that the foregoing transcript of field notes of Town-
ship N^o 2 South, Range N^o 8 West 2^d Mer. Indiana, has
been compared with the original notes in this Office, and
found to be correct.

Surveyor General's Office
Detroit, April 10. 1846

Surveyor General